

Spreader - Sticker

Non - Ionic Surface Active Agent

LESCO Spreader-Sticker is a biodegradable liquid non-ionic surface active agent. It is an agricultural spreader adjuvant, wetting agent, soil penetrant, and deduster.

Principal Functioning Agents:

Active Ingredients:

a(p-nonyphenyl)-w-hydroxypoly	
(oxyethylene)	40.00%
Poly (methylene p-nonylphenoxy	
polyoxypropylene propanol)	33.00%
Alkyl (C ₁₈₋₂₀) Fatty Acids	5.00%
Inert Ingredients:	
Aromatic petroleum derivative solvent	<u>22.00%</u>
TOTAL	100.00%

For Agricultural and Industrial Use Only

KEEP OUT OF REACH OF CHILDREN CAUTION

Liquid Cause Eye Irritation

Harmful if swallowed. Avoid contact with eyes. In case of contact with eyes, immediately flush with plenty of water for at least 15 minutes. Get medical attention.

DIRECTIONS FOR USE

LESCO Spreader-Sticker in a high flash non-ionic general purpose spray adjuvant for use on plants to improve the effectiveness of insecticides, herbicides, fungicides, and defoliants by providing more uniform coverage without excessive run-off of the spray to increase contact activity and to aid in penetration, allowing the use of lower labeled pesticide rates. Shake well before using.

HERBICIDES

Unless otherwise directed by manufacturer of herbicides, use 1 to 3 pints of **LESCO Spreader-Sticker** per 100 gallons of spray for post emergence use of products such as Image®, Basagran®, phenoxy herbicides (i.e., LESCO Three Way TM), Methanearsonates (i.e., LESCO

Net Contents: 1 Gallon (3.78 L)

MSMA 6.6) Poast®. Fusilide®. etc.

SOIL PENETRANT

Add with suitable quantities of water, 8 ounces of **LESCO Spreader-Sticker** 1,000 sq ft of lawn area.

Always add **LESCO Spreader-Sticker** to the spray tank as the last ingredient with the agitator running (½ teaspoon to 3 gallons of water).

DEFOLIANTS

(Use with magnesium and sodium chlorate and with chlorate/borate defoliants and herbicides.) Use 1 quart per each 100 gallons of dilute spray when spray application is at the rate of 10 gallons per acre. Use 2 quarts per 100 gallons of spray when application is at 5 gallons per acre. Use 2 quarts per 100 gallons of airplane spray application.

INSECTICIDES, FUNGICIDES, ACARICIDES

LESCO Spreader-Sticker may also be used to enhance the wetting characteristics of the above pesticides at a rate of 2 ounces to 8 ounces per 100 gallons of spray mix. The actual rate will vary depending upon plant size and type of foliage to be covered.

WARRANTY

LESCO warrants that this insecticide conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this insecticide is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Image is a registered trademark of American Cyanamid
Basagran and Poast are registered trademarks of BASF
Fusilide is a registered trademark of Zeneca, Inc.
LESCO is a registered trademark of LESCO, Technologies LLC.
G:REGUIL\Linda\Labels - LESCO Brand (Produced by Vendor)\Word Documents\005182.doc Rev.
10/30/02 WBW

#005182

Manufactured for: LESCO, Inc. 15885 Sprague Road Strongsville, Ohio 44136-1799

